

Appln. No. 10/676,200
Docket No. 14XZ125560/GEM-0172
Amdt. dated November , 2004
Reply to Office communication of

RECEIVED
CENTRAL FAX CENTER
NOV 11 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | | |
|-----------------|---------------------|------------------|------------------------|
| Application No. | 10/676,200 | Confirmation No. | 7095 |
| Applicant: | ALLOUCHE | | METHOD FOR DETERMINING |
| Filed: | 10/01/2003 | | NOISE IN ANGIOGRAPHY |
| TC/A.U | 2621 | | |
| Examiner: | | | |
| Docket No. | 14XZ125560/GEM-0172 | | |
| Customer No. | 23413 | Date: | November // , 2004 |

CHANGE OF ADDRESS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

The mail address, telephone and fax numbers and email of record, according to the Combined Declaration and Power of Attorney, for correspondence in the above application should be changed as shown in **bold** and associate the application with Customer Number **23413**.

FROM Jay L. Chaskin
General Electric Company
3135 Easton Turnpike
Fairfield CT 06828

TO: Jay L. Chaskin
Cantor Colburn LLP
55 Griffin Road South
Bloomfield CT 06002

Respectfully submitted,



Jay L. Chaskin
Reg. No. 24030
Customer No. 23413
Email: jchaskin@cantorcolburn.com

Address: 55 Griffin Road South
Bloomfield CT 06002
Tel: 860-286-2929
Fax: 860-286-0115

CERTIFICATE OF MAILING OR TRANSMISSION

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, or facsimile transmitted to 703-872-9306 or Express Mail No. to the United States Patent and Trademark Office on the date shown below.


Jay L. Chaskin

Date: November //, 2004

BEST AVAILABLE COPY

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.